

Modern styling, feature-rich cordless phone; speakerphone on both base and cordless handset; Perfect for today's modern hotel rooms





**CTM-A2411/CTM-A2411-BATT**

(Matte Black)

1-Line Analogue Contemporary Cordless Hotel Telephone

/1-Line Analogue Contemporary Cordless Hotel Telephone with Battery Backup



**CTM-A2411/CTM-A2411-BATT**

(Silver/Black)

1-Line Analogue Contemporary Cordless Hotel Telephone

/1-Line Analogue Contemporary Cordless Hotel Telephone with Battery Backup



**CTM-A241SDU**

(CTM-C4101 and C4011/C4011-USB)

1-Line Analogue Contemporary Cordless  
Accessory Handset and Charging Stand

---

**KEY FEATURES**

- Antibacterial plastic inhibits 99.9% of bacteria growth
- Gloss silver or matte finish resists fingerprint smudges and scratches
- Built-in speakerphone on both base and cordless handset
- Easy one-step handset registration
- Three non-removable, programmable speed dials on handset



**CORDLESS FEATURES**

- DECT technology eliminates interference from wireless networks and other wireless devices for superior sound quality
- Calls are digitized and encrypted making eavesdropping nearly impossible
- Handset battery life: up to 7 hours of talk time with 5 days of standby time
- Adjustable RF transmission power prevents interference
- Expandable Cordless System: up to a total of 4 cordless handsets
- Backlit handset dial pad
- Low battery indicator on cordless handset for easy maintenance
- Quickly locate all cordless handsets in the system using the Find Handset key
- Answer a call by simply picking up the handset from the charger
- Charge LED feature ensures handset battery is charging
- Side handset volume control for easy access
- Hearing-aid compatible

## **PHONE FEATURES**

- Flash, Hold, Mute and Redial
- Redial the last number called with the touch of a button; automatically expires in 15 minutes to protect guest privacy
- Base dial pad
- Compatible with all major PBXs
- Fully customisable faceplate for hotel branding and dialing instructions
- Power over Ethernet (PoE): telephone features work without AC power
- Large, Visual message waiting indicator alerts guests of new messages
- Multi-step volume control (ringer, handset and speakerphone)
- Selectable ring tones
- Up to 10 removable, programmable speed dials on base
- One non-removable, programmable speed dial on base
- Two non-removable, programmable speed dials on handset
- One non-removable, programmable message retrieval speed dial on handset
- Supports VLAN Tagging
- Base unit: Desk or wall-mountable
- Sturdy, solid construction ensures phone stays in place on a table or desk
- Environmentally friendly RoHS program reduces the use of hazardous substances including lead, mercury, and cadmium

## **Additional features of CTM-A2411-BATT (Battery Backup)**

- Backup battery option ensures guests can still use phone during power outages
- Backup battery matches handset battery, making it easy to inventory and swap in if the handset battery dies
- Backup battery option supports up to five hours in standby mode and two hours of talk time

## **SPECIFICATIONS**

- Colours: Matte Black, Silver/Black
- Compatible with all major PBXs
- Message Waiting Signal Type: High Voltage, Low Voltage, FSK, Reverse Polarity
- Flash: Programmable timing (100/300/600ms)
- Radio Frequency Baseband: Available in DECT 1.7 GHz, DECT 1.8GHz and DECT 1.9GHz
- Power Source: 6VDC External Power
- Humidity: 45% - 85%
- Temperature: 5°C - 45°C

## **CERTIFICATIONS**

- HAC
- CE
- RoHS
- UKCA

**CORDS & ACCESSORIES**

CTM-A2411/CTM-A2411-BATT CTM-A241SDU

Standard Telephone line cord w/RJ11 Connectors (Base)	20' (6 meters)	—	
Wall Mount for Base	Included	—	
Handset Charger w/Power Cord	—	Included	
Power Adapter (Handset Charger)	—	Included	
Handset Battery	Included	—	

**DIMENSIONS**

Phone Measurements	INCHES	CENTIMETERS	WEIGHT
CTM-A2411 (Handset on Cradle, Desk Mounted)	8.1" x 6.1" x 4.3"	20.6cm x 15.5cm x 10.8cm	1.82lbs (0.827kg)
CTM-A2411 (Handset on Cradle, Wall Mounted)	2.7" x 6.1" x 8.4"	6.9cm x 15.5cm x 21.3cm	1.45lbs (0.658kg)
CTM-A2411-BATT (Handset on Cradle, Desk Mounted)	8.1" x 6.1" x 4.3"	20.6cm x 15.5cm x 10.8cm	1.82lbs (0.827kg)
CTM-A2411-BATT (Handset on Cradle, Wall Mounted)	2.7" x 6.1" x 8.4"	6.9cm x 15.5cm x 21.3cm	1.45lbs (0.658kg)
CTM-A241SDU (Charger + Handset)	2.8" x 4.5" x 8.4"	7.1cm x 11.5cm x 21.3cm	0.94lbs (0.428kg)
CTM-C4101 (Handset)	2.8" x 3.7" x 8.4"	7.1cm x 9.4cm x 21.3cm	0.44lbs (0.199kg)
C4011 (Charging Stand)	2.8" x 3.8" x 4.3"	7.1cm x 9.6cm x 10.9cm	0.5lbs (0.229kg)
C4011-USB (Charging Stand with USB Port)	2.8" x 3.8" x 4.3"	7.1cm x 9.6cm x 10.9cm	0.5lbs (0.229kg)
<b>Carton Measurements (12 pcs per carton)</b>			
CTM-A2411 (Base + Handset)	22" x 17.1" x 9.3"	56cm x 45cm x 23.6cm	32.12lbs (14.57kg)
CTM-A2411-BATT (Base + Handset)	22" x 17.1" x 9.3"	56cm x 45cm x 23.6cm	31.88lbs (14.46kg)
CTM-C4101 (Handset)	8.5" x 7.3" x 9.3"	21.6cm x 18.5cm x 23.7cm	7.28lbs (3.3kg)
C4011 (Charging Stand)	16.5" x 10.2" x 7.9"	41.9cm x 25.8cm x 20cm	9.74lbs (4.42kg)
C4011-USB (Charging Stand with USB Port)	16.5" x 10.2" x 7.9"	41.9cm x 25.8cm x 20cm	8.89lbs (4.03kg)

\* Some features may be revised subject to final design of hardware and software platform.