

Modern styling, ringdown lobby phone, antibacterial & anti-fingerprint; Perfect for today's modern hotel rooms





S2100-X (Silver/Black)



S2100-X (Matte Black)

1-Line SIP Contemporary Coded Lobby Hotel Telephone

KEY FEATURES

- Antibacterial plastic inhibits 99.9% of bacteria growth
- Gloss silver or matte finish resists fingerprint smudges and scratches
- Ringdown - Automatically dials designated number when guest picks up handset (Requires PBX configuration)
- Advanced SIP configuration tool for easy mass deployment and phone monitoring



PHONE FEATURES

- Power over Ethernet (PoE): telephone features work without AC power
- Fully customisable faceplate for hotel branding and dialing instructions
- Desk or wall-mountable
- Hearing-aid compatible
- Multi-step volume control (ringer and handset)
- Selectable ring tones
- Sturdy, solid construction ensures phone stays in place on a table or desk
- Environmentally friendly RoHS program reduces the use of hazardous substances including lead, mercury, and cadmium

SPECIFICATIONS

- Colours: Silver/Black, Matte Black
- Compatible with all major PBXs
- Message Waiting Signal Type: Varies by PBX, including SIP RFC 3261
- Flash: Programmable timing (100/300/600ms)
- Power Source: PoE Class 2
- Humidity: 45% - 85%
- Temperature: 5°C - 45°C

CERTIFICATIONS

- HAC
- CE
- RoHS
- UKCA

CORDS & ACCESSORIES

S2100-X

Standard LAN Cable w/RJ45 Connectors)	10' (3 meters)		
Standard Coiled Handset Cord	12' (3.66 meters)		
Wall Mount for Base	Included		

DIMENSIONS

Phone Measurements	INCHES	CENTIMETERS	WEIGHT
S2100-X (Handset on Cradle, Desk Mounted)	8.1" x 6" x 4.2"	20.6cm x 15.3cm x 10.7cm	1.8lbs (0.836kg)
S2100-X (Handset on Cradle, Wall Mounted)	2.7" x 6" x 8.5"	6.9cm x 15.3cm x 21.5cm	1.5lbs (0.667kg)
Carton Measurements (4 pcs per carton)			
S2100-X	14.9" x 9.1" x 9.3"	37.8cm x 23.2cm x 23.6cm	10.3lbs (4.684kg)

* Some features may be revised subject to final design of hardware and software platform.